



## M.G. CABLE INDUSTRIES

Manufacturers : GI Cable Trays & All Earthing Materials

3/5, Ground Floor, Takwadi, Opp Yevale Tea Centre, Kalbadevi Road, Mumbai-400002. • Tel.: +91 22 4973 3629, 4913 7629  
Cell : +91 96995 47310 • Email : [mgcables29@gmail.com](mailto:mgcables29@gmail.com) / [info@mgcables.com](mailto:info@mgcables.com) • Website : [www.mgcables.com](http://www.mgcables.com)

Authorised Stockist :





# Switchgear & Fusegear

## Company Profile

KUSUM ENGINEERING WORKS is one of the leading manufacturers and exporters of Electrical Switchgear, Fusegear, Controlgear and Lightning & Earthing Protection products in India since last 50 years. We market our most reliable range of products under the brand name **KEW**

**KEW** Electrical products include fabricated structures, components - both ferrous & non ferrous, customized panels enclosures, press parts, cable trays etc.

State of the art technology, relentless quality control and years of technical expertise has gone into the making of **KEW** products that are a generation ahead of the other products & are tested for more rigorous duties as per the latest National & International Standards.

We regularly export our products to various parts of the world like Middle East, South East Asia, Europe and Africa.

Our philosophy is simple: to provide the highest quality product possible and back it up with topnotch sales, sound technical and marketing support, timely delivery, competitive price and efficient after sales service which gives our customers maximum value for money.

**KEW** has succeeded in meeting the electrical requirements of customers in a wide range of fields. Our products have been the products of choice for International Governments, Public Sector Undertakings, Military Organizations, National and International Electricity Authorities, Large and small industries, Utility Companies and retail stores worldwide.

**KEW** gratefully acknowledges recognitions and approvals, rendered with continued patronage by leading Architects, Consultants, Project Management Experts, Contractors and our consumers.

Our individual and business relationships are governed by the highest standards of Integrity.

We have built our position of Leadership with Trust by creating world-class products and services for our customers. In other words, by improving the safety and quality of life of all those who trust us to do so.

The future holds great promise, and it will be our consistent endeavour, as always, to deliver superior, all-round performance, thereby maximising value delivered and customer satisfaction.

Our products are made from high quality raw materials. All non-ferrous current carrying parts have a high conductive copper of 99.99% purity. Insulating material used in products have very high insulation resistance, high tracking index and a very long working life. Enclosures are all chemically cleaned, treated for rust prevention and powder coated to ensure long rust-free working life.

All **KEW** products undergo stringent quality controls from raw material stage to final products. All our products comply with respective IS specifications and are tested and certified from independent test houses. Our commitment and credibility is reflected in the internationally acclaimed ISO 9001:2008 Quality Assurance Certification.

With its own well-equipped, modern R & D and design Department, **KEW** is able to meet the International Standards of requirement with much ease. Product and process quality is constantly improved by the development, testing and introduction of new technologies, new materials and new and better test methods.



**SWITCHGEAR & FUSEGEAR**

## KLINE Miniature Circuit Breakers - •10KA •240/415V •50HZ

Rating Amps.	Price Per Unit					
	SP	DP	TP	FP	SPN	TPN

### TYPE B Suitable for Domestic & Commercial Installation

6,10,16, 20, 25, 32	166	530	-	-	476	-
40	357	741	-	-	659	-
50, 63	384	869	-	-	760	-

### TYPE C Suitable for Commercial & Industrial Installation

6,10,16, 20, 25, 32	172	568	880	1199	540	1108
40	375	788	1163	1575	741	1484
50, 63	403	925	1347	1785	806	1730

### MCB Isolators

40	-	312	576	696
63	-	384	641	723
100	-	576	879	1016

Conforms to IS 13947-3  
240V/415V  
50 Hz . AC 22A

### Changeover

25	-	1006	-	1733
40	-	1409	-	2675

Std. Packing*	12 pcs	6 pcs	4 pcs	3 pcs	6 pcs	3 pcs
---------------	--------	-------	-------	-------	-------	-------

\* For MCB, ISOLATORS & CHANGEOVERS

### Industrial Plugs & Sockets



Rating Amp/Volt	No of Poles	Plugs		Sockets	
		Pr. code	Price Each	Pr code	Price Each
20/240	2P+ $\equiv$	PS22P	166	PS22S	175
20/415	3P+ $\equiv$	PS23P	203	PS23S	212
30/415	3P+ $\equiv$	PS33P	359	PS33S	359

### RCCB

Ratings (Amps)	Sensitivity	Double Pole		Four Pole	
		Pr. Code	Price Each	Pr Code	Price Each
25	30mA	RC252H	2154	RC254H	2738
25	100mA, 300mA	RC252M RC252L	2200	RC254M RC254L	2756
40	30mA	RC402H	2334	RC404H	2792
40	100mA, 300mA	RC402M RC402L	2451	RC404M RC404L	2855
63	30mA	RC602H	2918	RC604H	3205
63	100mA, 300mA	RC602M RC602L	2954	RC604M RC604L	3241

Pr Code - Product Code

All MCBs conform to IS/ IEC 60898-1



All **K-LINE** Distribution Boards Are Made of Sheet Steel & they are powder painted. Removable end plates facility in all DB's. Fitted With - • Insulated Bus Bar, • Neutral Link, • Earth Link and • Din Rail. • Conforms To → IS13032, IS8623 & BS5486

### Single Phase DB TYPE - KS

Suitable for Single pole outgoing MCB'S				
NO. Of Ways	Single Door		Double Door	
	Pr. Code	Price each	Pr. Code	Price each
4	KS 104	525	KS 204	882
6	KS 106	582	KS 206	1115
8	KS 108	662	KS 208	1162
12	KS 112	888	KS 212	1521
16	KS 116	1106	KS 216	1928

### Three Phase Horizontal DB TYPE - KH

Suitable for Single pole outgoing MCB'S				
NO. Of Ways	Single Door		Double Door	
	Pr. Code	Price each	Pr. Code	Price each
4	KH 104	1729	KH 204	2476
6	KH 106	2060	KH 206	3062
8	KH 108	2296	KH 208	3875
12	KH 112	3005	KH 212	5320

### Three Phase Vertical DB TYPE - KV

Suitable for SP, DP & TP Mix MCB's outgoing				
NO. Of Ways	Single Door		Double Door	
	Pr. Code	Price each	Pr. Code	Price each
4	KV 104	5027	KV 204	6747
8	KV 108	6549	KV 208	7636
12	KV 112	7966	KV 212	9100

### MCB Enclosures (Plastic) - w/o MCB

Suitable For	Pr. Code	Price each
SP, DP & SPN	KPS2	117
TP, FP & TPN	KPS4	165

### Consumer D.B. TYPE - KC

Fitted With ABS Frame & Acrylic Window		
NO. Of Ways	Pr. Code	Price each
2+2	KC 104	-
2+6	KC 108	888
2+10	KC 112	1134
2+12	KC 114	1229

### MCB Enclosures (Steel) - w/o MCB


Suitable For	Pr. Code	Price each
SP, DP & SPN	KMS2	224
TP, FP & TPN	KMS4	263

### Enclosures for Plug & Sockets

Fitted with out Plug, Socket & MCB		
Rating	Poles	Price each
20A	2	747
20A	3	1493
30A	3	1994

### Consumer D.B. TYPE - KCU

With Metal Frame & Acrylic Window		
NO. Of Ways	Pr. Code	Price each
2+4	KCU 104	924
2+6	KCU 106	1087
2+8	KCU 108	1268
2+12	KCU 112	1539



## Switch - Fuses (Iron Clad) Rewirable



Rating Amp/Volt	Iron Clad Pr. Code	Price DP
16/240	122K	399
16/240	1212K	434
32/240	130K	757
63/415	1260K	2306

Rating Amp/Volt	Iron Clad Pr. Code	Price	
		TP	T.P.N.
16/415	315K	995	1023
32/415	330K	1380	1432
63/415	360K	3242	3344
100/415	3100K		7853

## Switch - Fuses (Sheet Metal) Rewirable Cum HRC Type (Without Fuses)

Rating Amp/Volt	Sheet Metal Pr. Code	Price D.P.
16/240	122KSM	399
32/240	130KSM	757
63/240	160KSM	2306

Rating Amp/Volt	Sheet Metal Pr. Code	Price	
		TP	T.P.N.
16/415	315KSM	995	1023
32/415	330KSM	1380	1432
63/415	360KSM	3138	3235
100/415	3100KSM	7194	7355
200/415	3200KSM	-	10231



THESE SWITCHES ARE IN REWIRABLE TYPE ONLY  
Add Suffix 'C' to the ordering product Code Nos for HRC type switchfuse units.

## Isolators (Iron Clad)



Rating Amp/Volt	Iron Clad Pr.Code	Price T.P.N.
16/415	1315AXJ	675
16/415	1315AXS	732
32/415	1330AX	1227
63/415	1360AX	2557
100/415	3100AX	5057

## Isolators (Sheet Metal)

Rating Amp/Volt	Pr. Code	Price T. P. N.
63/415	1360AXSM	2484
100/415	3100AXSM	4878
200/415	3200AXSM	6702



## Changeover Switches (Iron Clad)



Rating Amp/Volt	4 Pole	
	Pr. Code	Price
16/415	4150DA	1558
32/415	4300DA	2091
63/415	4600DA	5242
100/415	1004DA	9417

## Loom Switch

Rating Amp/Volt	List Nos.	Std. Pkg. Nos.	Price each
16A/415	16 LSR	1	496
16A/415	16 LSN	1	446



## Neutral Terminals

Pr. Code	16A	32A	63A	100A	200A
Price	28	51	99	161	162

## Changeover Switches (Sheet Metal)



Rating Amp/Volt	2 Pole		3 Pole		4 Pole	
	Pr. Code	Price	Pr. Code	Price	Pr. Code	Price
16/415	2150DASM	1018	3150DASM	1392	4150DASM	1532
32/415	2300DASM	1350	3300DASM	1639	4300DASM	2054
63/415	2600DASM	3430	3600DASM	4234	4600DASM	5091
100/415			1003DASM	8115	1004DASM	8935
200/415					2004DASM	11740
300/415					3004DASM	19359
400/415					4004DASM	26320


### Fuseunits (Rewirable)

Rating Amp/Volt	Pr. Code	Price	Std. Pkg. Nos.	Pr. Code	Price	Std. Pkg. Nos.
16/240	15 LUA	30	20	15 LUB	32	20
16/415	15JUA	76	10	15 JUB	71	10
32/415	30 JUA	117	10	30 JUB	113	10
63/415	■ 60JUB1	344	5	▲ 60 JUB2	367	5
63/415	60 JUA	283	5	60 JUB	277	5
100/415	100 MUA	644	3	100 MUB	642	3
100/415	■ 100 MUB1	691	3	▲ 100 MUB2	734	3
200/415	200 JUB	1042	3	■ 200 JUB1	1080	3
300/415	300 JUB	1876	1	▲ 200JUB2	1153	3
500/415	500 JUB	2344	1			

'A' type for distribution board & 'B' type for Cutouts.  
 ■ With one side extended terminal.  
 ▲ With both side extended terminal

### MSEDCL/GEB Type Cutout

Rating Amp/Volt	Pr. Code	Price
100/500	100 EUB	478
200/500	200 EUB	777



### Spn Distribution Fuse Board (Sheet Metal) Rewirable

No. of Ways	16A x 220 V SPN		32A x 240 V SPN	
	Pr. Code	Price	Pr. Code	Price
2	152L*	487	302L*	830
3	153L*	491		
4	154L	587	304L	987
6	156L	778	306L	1330
8	158L	969	308L	2045
10	1510L	1040		
12	1512L	1208		

\* Note that all 2 way & 3 way Distribution boards shall be supplied in the size of the 4 way distribution board



### Distribution Fuse Board (Sheet Metal) Rewirable

No of way	16A x 415 V TPN		32A x 415 V TPN		63A x 415 V TPN		100A x 415 V TPN	
	Pr. Code	Price	Pr. Code	Price	Pr. Code	Price	Pr. Code	Price
2	152	2433	302	2897	602	6855	1002	13878
3	153	2445	303	3247	603	7013	1003	15168
4	154	2923	304	3601	604	8538	1004	17746
6	156	3451	306	4869	606	11715	1006	27349
8	158	4692	308	6193	608	15122	1008	36350
10	1510	5298	3010	7720	6010	19466	10010	44103
12	1512	6979	3012	8831	6012	23458	10012	57739




### Busbar Chamber

Rating Amp	Over all Dimensions in (Inches.) HXWXD					Price
	1	2	3	4	5	
	12x15x4	14x18x6	16x24x6	18x36x6	24x36x8	
63	KBC 615					2340
100	KBC 115					2488
100		KBC118				3300
100			KBC124			4107
200		KBC 218				4583
200			KBC 224			5084
300			KBC 324			5715
300				KBC 336		8327
400			KBC 424			6574
400				KBC 436		9239
500				KBC 536		11100
600					KBC 636	14752
800					KBC 836	22690

### Test Terminal Block

Code	Price
TTB 34LFC	753
TTB 34SFC	753
NB-1	300




## Clip - on Fuse Links with Offset Tags (415V A.C.)




IS 13703 Ref.	Rating Amp.	Pr. Code	Std. Pkg. Nos.	Price each
	2	2 KNS	25	27
	4	4 KNS		
	6	6 KNS		
	10	10 KNS		
	16	16 KNS		
	20	20 KNS	25	30
	25	25 KNS		
	32	32 KNS		

## Offset Tag Fuse Links (415V A.C.)

IS 13703 Ref.	Rating Amp.	Pr. Code	Std. Pkg. Nos.	Price each
A 1	2	2 KNT	25	36
	4	4 KNT		
	6	6 KNT		
	10	10 KNT		
	16	16 KNT		
	20	20 KNT		
A 2	6	6 KIA	10	45
	10	10 KIA		
	16	16 KIA		
	20	20 KIA		
	25	25 KIA		
A 3	32	32 KIS	10	72
	50	50 KIS		
	63	63 KIS		
A 4	32	32 KCP	10	172
	40	40 KCP		
	50	50 KCP		
	63	63 KCP		
	80	80 KCP		
	100	100 KCP		
	125	125 KFP		
160	160 KFP			
200	200 KFP			




## Central Tag Fuse Links (415v A.c.)



IS 13703 Ref.	Rating Amp.	Pr. Code	Std. Pkg. Nos.	Price each
B 1	80	80 KC	5	172
	100	100 KC		
B 2	125	125 KTF	5	229
	160	160 KTF		
	200	200 KTF		
B 3	250	250 KKF	1	353
	315	315 KKF		
B 4	355	355 KTS	1	706
	400	400 KTS		

## Din Fuse Links (500V A.C.) Knife Type HRC Fuse Link



Rating Amp.	Pr. Code	Std. Pkg. Nos.	Price each
6	6KD00	6	174
10	10KD00		
16	16KD00		
20	20KD00		
32	32KD00		
50	50KD00		
63	63KD00		
80	80KD00		
100	100KD00		
125	125KD00		
160	160KD00		
32	32KD01	3	295
50	50KD01		
63	63KD01		
80	80KD01		
100	100KD01		
125	125KD01		
160	160KD01	3	305
200	200KD01		
250	250KD01	3	350
200	200KD02		
250	250KD02	3	442
315	315KD02		
355	355KD02		
400	400KD02		
425	425KD03	1	636
500	500KD03		
630	630KD03	1	778

## HRC Fuse Holders For B.S. Type HRC Fuse link

Rating Amp./Volt	Pr. Code	Price each	Std. Pkg. Nos.	Suitable HRC Fuse
16/415	32 FFC	77	10	KNS (2A to 32A)
	32 FBC	85		
32/415	32 FF	141	10	KIA (6A to 32A)
	32 FB	154		
63/415	63 FF	174	5	KIA/KIS (6A to 32A)
	63 FB	193		
100/415	100FF	460	5	KCP (6A to 32A)
	100FB	486		



200A FUSE HOLDER AVAILABLE ON REQUEST

## Din Fuse Base For Knife Type HRC Fuse Link



Rating Amp./Volt	Code	Price each	Std. Pkg. Nos.	Suitable HRC Fuse
125/415	KDFH 125	170	3	KD00 (6A to 125A)
250/415	KDFH 250	356	3	KD01 (32A to 250A)
400/415	KDFH 400	523	3	KD02 (200A to 400A)
630/415	KDFH 630	777	3	KD03 (425A to 630A)


## Din Fusepuller

Pr. Code	Price
KFP	218




### Switch - Fuse TPN - 415 V Open Execution (Suitable for Din & BS Type HRC Fuse Links)

Rating Amp.	Pr. Code	Price each W/O Fuse	Suitable HRC Fuse
32	3KSC 32D/B	1473	KD00/ KIA
63	3KSC 63D/B	1867	KD00/ KIS-KIA
100	3KSC100D/B	3879	KD00/ KIS-KCP
125	3KSC125D/B	3879	KD00/ KCP-KFP
160	3KSC160D	4583	KD00/KD01
200	3KSC200D/B	6235	KD01/ KC-KTF
250	3KSC250D/B	6627	KD01/KD02 KTF-KKF
315	3KSC315D/B	7461	KD02/ KTF-KKF
400	3KSC400D/B	9525	KD02/ KKF-KTS
630	3KSC630D	15871	KD03



### On Load Front Operated Changeover Switches Open Execution - 4 Pole 415V

Rating Amp.	Pr. Code	Price each
32	32KPCO	3156
63	63KPCO	3945
100	100KPCO	4734
125	125KPCO	4734
200	200KPCO	9717
320	320KPCO	12824
400	400KPCO	15486
630	630KPCO	22046
800	800KPCO	30234
1000	1000KPCO	49449
1250	1250KPCO	56966



### On Load Front Operated Changeover Switches With Enclosure - 4 Pole - 415V

Rating Amp.	Pr. Code	Price each
32	32KPCOE	4490
63	63KPCOE	4933
100	100KPCOE	5373
125	125KPCOE	5373
200	200KPCOE	10999
320	320KPCOE	14334
400	400KPCOE	17463
630	630KPCOE	23969
800	800KPCOE	32976
1000	1000KPCOE	53954
1250	1250KPCOE	61471



### Switch - Fuse TPN - 415 V With Enclosure (Suitable for Din Type as well as BS Type Fuses)

Rating Amp.	Pr. Code	Price each W/O Fuse	Suitable HRC Fuse
32	3KSCE 32D/B	2065	KD00/ KIA
63	3KSCE 63D/B	2297	KD00/ KIS-KIA
100	3KSCE100D/B	4516	KD00/ KIS-KCP
125	3KSCE125D/B	4516	KD00/ KCP-KFP
160	3KSCE160D	5432	KD00/KD01
200	3KSCE200D/B	7088	KD01/ KC-KTF
250	3KSCE250D/B	7855	KD01/KD02 KTF-KKF
315	3KSCE315D/B	8789	KD02/ KTF-KKF
400	3KSCE400D/B	12028	KD02/ KKF-KTS
630	3KSCE630D	17255	KD03



### On Load Front Operated Fuse Changeover Switches Open Execution - 4 Pole - 415V

Rating Amp.	Pr. Code	Price each W/O Fuse	Suitable HRC Fuse
125	125KSCO	14671	KCP-KFP
160	160KSCO	20641	-
200	200KSCO	26319	KC-KTF
250	250KSCO	27182	KTT-KKF
320	320KSCO	27902	KTF-KKF
400	400KSCO	39695	KKF-KTS
630	630KSCO	46887	-
800	800KSCO	62589	-

### Switch - Fuse + Busbar Combined TPN - 415 V

Rating Amp.	Price each SFU With Busbar W/O Fuse	Price each HRC Base. With Busbar W/O Fuse
63 A	6895	4705
125 A	11470	5690
200 A	15237	8242
250 A	17821	10131
315 A	21252	10686
400 A	24318	12146
630 A	42654	23362



### On Load Front Operated Fuse Changeover Switches With Enclosure - 4 Pole - 415 V

Rating Amp.	Pr. Code	Price each W/O Fuse	Suitable HRC Fuse
125	125KSCOE	17910	KCP-KFP
160	160KSCOE	26790	-
200	200KSCOE	31963	KC-KTF
250	250KSCOE	32928	KTT-KKF
320	320KSCOE	34443	KTF-KKF
400	400KSCOE	49599	KKF-KTS
630	630KSCOE	57589	-
800	800KSCOE	76542	-

\*Price of higher ratings shall be available on request




### On Load Front Operated Changeover Switches Open Execution - 4 Pole - 415 V

Rating Amp	Pr. Code	Price each
63	63KDCO	5473
125	125KDCO	6536
200	200KDCO	8327
250	250KDCO	11906
320	320KDCO	13373
400	400KDCO	18336
630	630KDCO	22828
800	800KDCO	53508
1000	1000KDCO	88104
1250	1250KDCO	125083
1600	1600KDCO	175117
2000	2000KDCO	212642
2500	2500KDCO	282133
3150	3150KDCO	382200



### Bye Pass Changeover Switch Open Execution - 4 Pole - 415 V

Rating Amp.	Pr. Code	Price each
125	125 KBP	19234
160	160 KBP	21964
200	200 KBP	24818
250	250 KBP	33504
320	320 KBP	35986
400	400 KBP	54810
630	630 KBP	59563
800	800 KBP	84381
1000	1000 KBP	148909
1250	1250 KBP	204750
1600	1600 KBP	271759



### On Load Front Operated Changeover Switches With Enclosure - 4 Pole 415 V

Rating Amp.	Pr. Code	Price each
63	63KDCOE	6369
125	125KDCOE	8731
200	200KDCOE	10624
250	250KDCOE	14995
320	320KDCOE	16350
400	400KDCOE	21855
630	630KDCOE	25081
800	800KDCOE	63158
1000	1000KDCOE	108968
1250	1250KDCOE	144472
1600	1600KDCOE	195393
2000	2000KDCOE	257297
2500	2500KDCOE	331572
3150	3150KDCOE	448550



### Bye Pass Changeover Switch With Enclosure - 4 Pole - 415 V


Rating Amp.	Pr. Code	Price each
125	125 KBPE	22324
160	160 KBPE	25131
200	200 KBPE	29340
250	250 KBPE	42098
320	320 KBPE	44649
400	400 KBPE	62509
630	630 KBPE	67612
800	800 KBPE	73990
1000	1000 KBPE	165840
1250	1250 KBPE	229626
1600	1600 KBPE	293411



### Cable Trays

#### PRE GALVANISED & HOT DIP GALVANISED PERFORATED CABLE TRAY

Width Size in MM	1.2 MM Cover Height	1.2 MM Cable Tray Height			1.6 MM Cable Tray Height			2.0 MM Cable Tray Height		
	15 MM	25 MM	50 MM	25 MM	50 MM	75 MM	25 MM	50 MM	75 MM	
50	102	120	180	158	238	317	192	288	384	
75	132	150	210	198	277	356	240	336	432	
100	162	180	240	238	317	396	288	384	480	
150	222	240	300	317	396	475	384	480	576	
200	282	300	360	396	475	554	480	576	672	
250	342	360	420	472	578	634	576	672	768	
300	402	420	480	554	634	713	672	768	876	
400	522	540	600	713	792	871	864	960	1056	
450	582	600	672	791	871	950	960	1056	1152	
500	642	660	720	871	950	1030	1056	1152	1248	
600	762	780	840	1030	1109	1188	1248	1344	1440	



Standard Length : 2.5 Meters,


RATE PER METER

Coupler plates with Hardware for 25/50 MM Height Cable Trays : 20/30 x 200mm = 20/- per piece  
 Coupler plates with Hardware for 75/100 MM Height Cable Trays : 70 x 200mm = 40/- per piece

### Ladder Type Cable Trays

#### PRE GALVANISED & HOT DIP GALVANISED LADDER TYPE CABLE TRAY

Width Size in MM	1.6 MM Ladder Height			2.0 MM Ladder Height			2.5 MM Ladder Height			3.0 MM Ladder Height		
	50 MM	75 MM	100 MM	50 MM	75 MM	100 MM	50 MM	75 MM	100 MM	50 MM	75 MM	100 MM
100	305	392	472	370	475	571	462	594	714	554	714	857
150	324	414	492	396	500	596	493	625	745	624	792	894
200	348	432	512	420	528	622	528	660	776	660	828	932
300	396	474	553	468	576	672	588	720	839	744	906	1007
400	432	516	595	522	625	721	648	781	901	818	984	1081
450	450	540	616	545	648	746	684	816	932	858	1026	1120
500	469	558	636	570	674	770	714	852	964	900	1068	1157
600	510	600	677	619	725	821	774	906	1026	978	1142	1231
750	583	660	739	694	804	896	870	1002	1121	1093	1260	1344
800	593	713	760	719	864	922	900	1079	1152	1134	1296	1382
900	635	722	802	769	875	971	961	1093	1213	1154	1312	1456
1000	684	762	842	818	924	1033	1024	1156	1274	1290	1458	1531




Standard Length : 2.5 Meters,

Coupler plates with Hardware for 50 MM Height Cable Trays : 30 x 200mm = 20/- per piece  
 Coupler plates with Hardware for 75/100 MM Height Cable Trays : 70 x 200mm = 40/- per piece

### Open Type Limit Switch

Sr. No.	Product Code	Description	Type	Price each
1	KLSO	Contact Block 1 No + 1 NC	Normal	120
2	KLSOS	Contact Block 1 No + 1 NC	Snap	132



### Standard Limit Switch

Sr. No.	Product Code	Description	Type	Price each
1	KLSR	Std. Aluminium Housing (with roller lever) 1 No.+1nc	Normal	309
2	KLSRS	Std. Aluminium Housing (with roller lever) 1 No.+1nc	Snap	321



### Oil Tight Limit Switch

Sr. No.	Product Code	Description	Type	Price each
1	KLSR-O/KLSR-ON	Oil Tight Aluminium Housing (with roller lever) 1no+1nc	Normal	361
2	KLSRS-O/KLSRS-ON	Oil Tight Aluminium Housing (with roller lever) 1no+1nc	Snap	374




### Standard Limit Switch

Sr. No.	Product Code	Description	Type	Price each
1	KILO	Open Execution 1NO+1NC	Normal	120
2	KLOS	Open Execution 1NO+1NC	Snap	132
3	KLSR	Roller Lever	Normal	298
4	KLSRS	Roller Lever	Snap	311
5	KLTPRS	Top Push Roller	Normal	289
6	KLTPRS	Top Push Roller	Snap	302



### Oil Tight Limit Switch

Sr. No.	Pr. Code	Description	Type	Price each
1	K-00	Contact Block	Normal	120
2	K-01	Contact Block	Snap	164
3	K-11 (38mmor76mm)	With Crank Roller Lever-Length 38mm/76mm	Normal	751
4	K-12 (38mmor76mm)	With Crank Roller Lever-Length 38mm/76mm	Snap	765
5	K-21	With Crank Roller Lever-adjustable	Normal	779
6	K-22	With Crank Roller Lever-adjustable	Snap	794
7	K-31	Top Push roller	Normal	779
8	K-32	Top Push roller	Snap	794



### Spare Parts


Sr. No.	Description	Type	Price each
1	Bracket Roller Assembly (for limit switching std/oil tight housing)		59
2	Bracket Roller Assembly (for limit switching std/oil tight housing)		72
3	Bracket Roller Assembly (for limit switching std/oil tight housing)		72
4	Head For B-11/B-12/B-21/B-22		368

### General Terms :

- 1 All prices are ex. Godown, Packing, VAT or C. S. T. and Excise duty extra.
- 2 VAT / C. S. T. and excise duty will be charged as per the ruling rate on the date of supply.
- 3 All orders will be executed at the rate ruling on the date of supply.
- 4 Prices are subject to change without prior notice.
- 5 This price list supersedes all our previous Price List.
- 6 All products are tested as per respective I. S. specifications.
- 7 Disputes if any are subject to Mumbai Jurisdiction only.



Authorised Dealer :



## Kusum Engineering Works

Paras Compund S.V. Road, Goregaon (W),  
Mumbai- 400 104.

Phone : 42764990 / 2676 4991-4992

E-mail : [info@kewelectricals.com](mailto:info@kewelectricals.com)

Website : [www.kewelectricals.com](http://www.kewelectricals.com)

