

Suraksha, Behtar **ElectriKAL** ke liye!

Finolex
Cables Limited



M.G. CABLE INDUSTRIES

Manufacturers : GI Cable Trays & All Earthing Materials

3/5, Ground Floor, Takwadi, Opp Yevale Tea Centre, Kalbadevi Road, Mumbai-400002. • Tel.: +91 22 4973 3629, 4913 7629
Cell : +91 96995 47310 • Email : mgcables29@gmail.com / info@mgcables.com • Website : www.mgcables.com

Authorised Stockist :     

LEADERS IN QUALITY LEADERS IN DEPENDABILITY



List Price wef. 22nd Jan 2021

RESIDENTIAL & COMMERCIAL:

- Flame Retardant (FR) PVC Insulated Industrial Cables
- Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
- Halogard - Halogen Free Flame Retardent (HFFR) Industrial Cables
- Flexible Cables Single Core

COMMUNICATION CABLES:

- Co-Axial Cables
- Telephone Cables
- CCTV Cables
- Speaker Cables
- Lan Cables
- Optic Fiber Cables (HSN-9001)

AGRICULTURE:

- 3 Core Flat Cables
- PVC Insulated Winding Wires

AUTOMOBILE / SOLAR POWER:

- Auto Cables
- Solar Cables

RESIDENTIAL & COMMERCIAL



High grade 99.97% pure bare copper conductor

Abrasion resistant grade sheath material

Long life & highly durable cables

List Price
wef. 22nd Jan 2021



List Price wef. 22nd Jan 2021

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS: 694

GOLD PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	908	20
10303	1.00	1,249	20
10304	1.50	1,803	12
10305	2.50	2,880	12
10306	4.00	4,181	8
10307	6.00	6,242	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	2,293	8
10314	1.50	3,322	6
10315	2.50	5,337	4
10306016	4.00	8,215	4
10307016	6.00	12,267	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	573	30
10314	1.50	831	24
10315	2.50	1,334	24
10316	4.00	2,054	12
10317	6.00	3,067	8

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10312	0.75	904	20
10313	1.00	1,179	20
10314	1.50	1,696	12
10315	2.50	2,709	12
10316	4.00	4,160	8
10317	6.00	6,211	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FLAMEGARD FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES



List Price wef. 22nd Jan 2021

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	1,187	20
10114	1.50	1,713	12
10115	2.50	2,736	12
10106	4.00	4,201	8
10107	6.00	6,273	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10113016	1.00	2,316	8
10114016	1.50	3,355	6
10115016	2.50	5,390	4
10106016	4.00	8,297	4
10107016	6.00	12,390	4

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	579	30
10114	1.50	839	24
10115	2.50	1,348	24
10106	4.00	2,074	12
10107	6.00	3,098	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.ö

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES



List Price wef. 22nd Jan 2021

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,293	20
10404	1.50	1,860	12
10405	2.50	3,022	12

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	4,402	8
10407	6.00	6,379	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP. per coil (Rs.)	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	3,569	270	8
10404010	1.50	5,104	270	6
10405010	2.50	8,353	270	4
10406016	4.00	8,096	180	4
10407016	6.00	12,091	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FLEXIBLE CABLES



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/1990 UPTO 50 SQMM AND GENERALLY CONFORMING TO IS:694/1990 FROM 70 SQMM AND ABOVE.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14001	0.50	675
14002	0.75	965
14003	1.00	1,264

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14104	1.50	1,832
14105	2.50	2,950
14206	4.00	4,546

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14207	6	6,788
14208	10	11,800
14209	16	18,334
14210	25	28,638
14211	35	39,910
14212	50	56,581

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14513	70	82,311
14514	95*	1,08,930
14515	120*	1,39,766
14516	150*	1,73,142
14517	185*	2,13,827
14518	240*	2,81,076

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS:694/1990

TWO CORE: Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17002	0.50	2,031
17002	0.75	2,760
17002	1.00	3,350

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17102	1.50	4,388
17102	2.50	7,042
17202	4.00	10,844

THREE CORE: The single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17003	0.50	2,666
17003	0.75	3,619
17003	1.00	4,484

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17103	1.50	6,118
17103	2.50	9,786
17203	4.00	15,160

FOUR CORE: Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17004	0.50	3,404
17004	0.75	4,702
17004	1.00	5,802

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17104	1.50	8,004
17104	2.50	12,769
17204	4.00	19,905

Packging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Ylw/Green is for earthing. Colour of sheath - Black.

SIX CORE* [There will be one dummy core in the centre]

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17006	0.50	4,919
17006	0.75	6,937
17006	1.00	8,550

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17106	1.50	12,102
17106	2.50	19,765
17206	4.00	30,461

SEVEN CORES (1 + 6) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17007	0.50	5,706
17007	0.75	7,898
17007	1.00	9,943

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17107	1.50	13,807
17107	2.50	22,121
17207	4.00	34,695

EIGHT CORES *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17008	0.50	6,426
17008	0.75	8,896
17008	1.00	11,161

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17108	1.50	15,726
17108	2.50	25,199
17208	4.00	39,335

TEN CORES: (2+8)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17010	0.50	7,731
17010	0.75	10,938
17010	1.00	13,760

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17110	1.50	19,242
17110	2.50	31,180
17210	4.00	48,710

TWELVE CORES: (3+9)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17012	0.50	9,111
17012	0.75	12,928
17012	1.00	16,306

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17112	1.50	22,861
17112	2.50	37,294
17212	4.00	58,030

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17014	0.50	10,605
17014	0.75	14,867
17014	1.00	18,793

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17114	1.50	26,606
17114	2.50	43,149
17214	4.00	67,217

SIXTEEN CORES (5 + 11) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17016	0.50	12,037
17016	0.75	17,079
17016	1.00	21,570

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17116	1.50	30,289
17116	2.50	49,153
17216	4.00	76,988

NINETEEN CORES (1 + 6 + 12) *

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17019	0.50	13,987
17019	0.75	19,917
17019	1.00	25,417

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17119	1.50	35,744
17119	2.50	57,802
17219	4.00	90,664

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS:694/1990.

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203074	6	22,596
17203084	10	37,913
17203094	16*	57,883
17203104	25*	92,082
17203114	35*	1,28,849

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203124	50*	1,84,567
17503134	70*	2,67,508
17503144	95*	3,52,075
17503154	120*	4,51,048

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204074	6	29,686
17204084	10	49,975
17204094	16*	75,968
17204104	25*	1,21,781
17204114	35*	1,69,074

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204124	50*	2,40,648
17504134	70*	3,52,256
17504144	95*	4,65,631
17504154	120*	5,90,832

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

COMMUNICATION CABLES



High grade 99.97% pure bare copper conductor



Abrasion Resistant grade sheath material




Long life & highly durable cables

List Price

wef. 22nd Jan 2021

COAXIAL CABLES - JELLY



List Price wef. 22nd Jan 2021

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,500	4,575
RG 6 CU	1,925	5,871
RG 11 CU	4,380	13,359

Finolex Coaxial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape And Al. Wire Braid, Jelly Flooded And Pvc Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,320	4026
RG 11 CCS	2,580	7,869

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation,with laminated aluminium tape and Al. Wire braid,Jelly flooded and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	2,620	7,991

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation,with laminated aluminium tape and Al. Wire braid,Jelly flooded and PVC Jacketing in Black colour.

CCTV CABLE



Product Code	Product Description	Unit	List Price (Rs.)
65913013	Rg59 JF X1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,722
65913018	RG59 JF X1+3X0.15 SQMM CCTV WHITE 305M	305 Mtr	9,225
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,079
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,434
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,212
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,885
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,688
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,306
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	1,900
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	3,770

TELEPHONE CABLE

List Price wef. 22nd Jan 2021

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	620
31050023	2 pair	1,093
31050033	3 pair	1,611
31050043	4 pair	2,120
31050053	5 pair	2,641

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	5,111
31050203	20 pair	9,719
31050503	50 pair	23,826
31051001	100 pair	46,527

Standard length of the coil is 90 Mtrs. | Standard length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped and sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	446
31040023	2 pair	771
31040033	3 pair	1,140
31040043	4 pair	1,461
31040053	5 pair	1,791

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	3,596
31040203	20 pair	6,716
31040503	50 pair	16,228
31041001	100 pair	31,104

Standard length of coil is 90 M trs. | Standard length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN CABLE

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP - 4 Pair Cat 5 Enhanced Lan Cable	305 Mtr	6,750
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	8,370
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	8,370
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	8,370
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	8,370
32925048	0.5 x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,220
32105028	0.5 x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	2,750


SPEAKER CABLE



List Price wef. 22nd Jan 2021

Product Code	Product Description	No of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,444
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,081
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	2,586
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	3,770
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	5,814
60329024	Speaker Cable 2.5 SQMM (Transparent) 100M	6	100 Mtr	5,971
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	360
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	520
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	645
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	940

PACKING : Available in 100 M coils AND 25 M coil



OPTIC FIBRE CABLE



HSN - 9001

List Price List Price wef. 22nd 2021

OPTIC FIBRE CABLE

FINOLEX SINGLE MODE / MULTI MODE OPTICAL FIBRE CABLES IN UNARMoured / ARMoured FOR UNITUBE OR MULTITUBE TYPE

UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101105002	DMAX-E	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	9235	COIL
8101105004	DMAX-E	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	11070	COIL
8101105006	DMAX-E	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	12480	COIL
8101105008	DMAX-E	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	15265	COIL
8101105302	DMAX-ER	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	10880	COIL
8101105304	DMAX-ER	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	12885	COIL
8101105306	DMAX-ER	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	14430	COIL
8101105308	DMAX-ER	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	17290	COIL
8101103812	DMAX	12F Single Mode Uni Tube Un-Armd (2FRP) OFC	7.2 +/-0.3	23300	COIL
8101104124	DDBX	24F Single Mode Uni Tube Un-Armd (2FRP) OFC	9.30 +/-0.2	40440	DRUM

ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101104002	MMAX	2F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	17760	DRUM
8101104004	MMAX	4F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	19400	DRUM
8101104006	MMAX	6F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	20980	DRUM
8101104008	MMAX	8F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	23435	DRUM
8101102412	MLM	12F Single Mode Uni Tube (2SW) Armd OFC	8.8 +/-0.3	29400	DRUM
8101102624	MLX	24F Single Mode Uni Tube (2SW) Armd OFC	10 +/-0.5	43670	DRUM
8108104002	MMAX OM1	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	27350	DRUM
8108104004	MMAX OM1	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	36330	DRUM
8108104006	MMAX OM1	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	45365	DRUM
8108104008	MMAX OM1	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	54410	DRUM
8108104012	MMAX OM1	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	72630	DRUM
8107104002	MMAX OM2	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	22610	DRUM
8107104004	MMAX OM2	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	27830	DRUM
8107104006	MMAX OM2	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	33220	DRUM
8107104008	MMAX OM2	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	38495	DRUM
8107104012	MMAX OM2	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	49145	DRUM
8105104002	MMAX OM3	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29000	DRUM
8105104004	MMAX OM3	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	41380	DRUM
8105104006	MMAX OM3	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	53975	DRUM
8105104008	MMAX OM3	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	66460	DRUM
8105104012	MMAX Om3	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	91535	DRUM

MULTI TUBE UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8400200004	Multi Tube	04F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	22580	DRUM
8400200006	Multi Tube	06F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	24420	DRUM
8400200012	Multi Tube	12F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	28810	DRUM
8400200024	Multi Tube	24F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	38925	DRUM
8400200048	Multi Tube	48F Single Mode Multi Tube (Un-Armd) OFC	10.2 +/-0.3	59745	DRUM
8400200072	Multi Tube	72F Single Mode Multi Tube (Un-Armd) OFC	10.6 +/-0.3	79575	DRUM
8400200096	Multi Tube	96F Single Mode Multi Tube (Un-Armd) OFC	11.9 +/-0.3	103510	DRUM

MULTI TUBE ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8402200004	Multi Tube	04F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	28270	DRUM
8402200006	Multi Tube	06F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	30025	DRUM
8402200012	Multi Tube	12F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	31225	DRUM
8402200024	Multi Tube	24F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	43890	DRUM
8402200048	Multi Tube	48F Single Mode Multi Tube (Single sheath-Armd) OFC	10.6 +/-0.3	64425	DRUM
8402200072	Multi Tube	72F Single Mode Multi Tube (Single sheath-Armd) OFC	11 +/-0.3	83885	DRUM
8402200096	Multi Tube	96F Single Mode Multi Tube (Single sheath-Armd) OFC	12.3 +/-0.3	108030	DRUM



FTTH CABLE

1 or 2 fibres are placed in LSZH/PVC sheath in between two ARP / FRP rods which can be taken out easily

FTTH G652D

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8404500001	FTTH	01ED4 - 01F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	7995	Spool/cartoon
8404500002	FTTH	02ED4 - 02F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8750	Spool/cartoon
8405500001	FTTH	01ED5 - 01F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	8665	Spool/cartoon
8405500002	FTTH	02ED5 - 02F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	9420	Spool/cartoon
8403500001	FTTH	01ED3 - 01F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	6430	Spool/cartoon
8403500002	FTTH	02ED3 - 02F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	7175	Spool/cartoon
8402500001	FTTH	01ED2 - 01F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	5770	Spool/cartoon
8402500002	FTTH	02ED2 - 02F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	6515	Spool/cartoon

FTTH G657A1

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8441502001	FTTH	01ED11 - 01F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	8710	Spool/cartoon
8441502002	FTTH	02ED11 - 02F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9475	Spool/cartoon
8440502001	FTTH	01ED10 - 01F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8060	Spool/cartoon
8440502002	FTTH	02ED10 - 02F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8804	Spool/cartoon
8449500001	FTTH	01ED9 - 01F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	6450	Spool/cartoon
8449500002	FTTH	02ED9 - 02F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	7175	Spool/cartoon
8448500001	FTTH	01ED8 - 01F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	5685	Spool/cartoon
8448500002	FTTH	02ED8 - 02F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	6550	Spool/cartoon

COST ECONOMICAL DESIGN

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8411015002	Economical	2LOC5- 2F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.8+/-0.5	7520	COIL
8411015004	Economical	04LOC5-4F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.3+/-0.3	8915	COIL
8411016004	Economical	4LOC6-4F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	9475	COIL
8411017004	Economical	04LOC7-4F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	9860	COIL
8101105404	Economical	4F Unitube CE design Un-Armd UOFC	5.8+/-0.5	9610	COIL
8411017006	Economical	06LOC7-6F Uni Tube 2FRP 0.8 Un-Armd BLK HDPOFC	5.3+/-0.3	10300	COIL
8411018006	Economical	06LOC8-06F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	10865	COIL
8411011006	Economical	06LOC10-06F Uni Tube 2SW 0.8 Un-Armd UA OFC	5.8+/-0.5	11250	COIL
8101105406	Economical	6F CE design Un-Armd UOFC	5.8+/-0.5	11010	COIL
8411018012	Economical	12LOC8-12F Uni Tube 2FRP08 Un-Armd OFC	5.8+/-0.5	15085	COIL
8400101112	Economical	12CTV0 - 12F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	15475	COIL

AGRICULTURE

Also available
in XLPE
insulation



High grade 99.97% pure
bare copper conductor

Abrasion resistant
grade sheath material

Long life & highly
durable cables

[List Price](#)

wef. 22nd Jan 2021

3 CORE FLAT CABLE



List Price wef. 22nd Jan 2021

3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS 694:1990

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703041	1.50	22/.3	6,350
13703051	2.50	36/.3	10,287

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703061	4.00	56/.3	15,038

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED WITH PVC AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS GENERALLY CONFORMING TO IS 694:1990

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803071	6.00	84/.3	22,100
13803081	10.00	140/.3	37,479
13803091	16.00	226/.3	58,332
13803101	25.00	354/.3	91,595

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803111	35.00	495/.3	1,25,822
13803121*	50.00	703/.3	Prices for these sizes can be given on request.
13803131*	70.00	360/.5	
13803141*	95.00	475/.5	

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823059	2.50	36/.3	10800

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823069	4.00	56/.3	15790

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823079	6.00	84/.3	23205
13823089	10.00	140/.3	39355
13823099	16.00	226/.3	61250

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823109	25.00	354/.3	96175
13823119	35.00	495/.3	132115

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853079	8	84/.36	13,465
13853089	14	140/.36	22,600
13853099	23	226/.36	34,845

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853109	36	354/.36	55,070
13853119	50	594/.36	75,410

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC INSULATED WINDING WIRES



List Price wef. 22nd Jan 2021

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1 : 1995

Product Code	Conductor Nominal (mm)	List Price Per100Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No.of Mono Cartons Packed Per Master Carton
13000601	0.60	393	1000	6
13000602	0.60	393	500	6
13000701	0.70	539	1000	6
13000702	0.70	539	500	6
13000801	0.80	691	1000	6
13000802	0.80	691	500	6
13000901	0.90	863	1000	5
13000902	0.90	863	500	6
13001001	1.00	1055	1000	5
13001002	1.00	1,055	500	6
13001101	1.10	1269	1000	4
13001102	1.10	1,269	500	6
13001201	1.20	1498	1000	4
13001202	1.20	1,498	500	6
13001301	1.30	1751	1000	3
13001302	1.30	1,751	500	6
13001402	1.40	2,038	500	5
13001502	1.50	2,330	500	5
13001602	1.60	2,641	500	4
13001702	1.70	2,975	500	4
13001802	1.80	3,336	500	4
13001902	1.90	3,708	500	3
13002002	2.00	4,143	500	3
13002102	2.10	4,553	500	3
13002202	2.20	4,984	500	2
13002302	2.30	5,440	500	2
13002402	2.40	5,932	500	2
13002502	2.50	6,427	500	2
13002602	2.60	6,941	500	2
13002702	2.70	7,468	500	2
13002804	2.80*	8,053	250	3
13003004	3.00*	9,218	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

AUTOMOBILE / SOLAR POWER



High thermal rating to withstand extreme temperatures



Excellent resistance to heat pressure



Long life & highly durable cables

List Price

wef. 22nd Jan 2021



**THE TRUE CHAMPION
ON THE ROAD**



AUTO (BATTERY) CABLES

List Price wef. 22nd Jan 2021

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	4,583	18,334
22210	354/.3	25	7,161	28,638
22211	495/.3	35	9,977	39,910
22212	703/.3	50	14,149	56,581
22513	360/.5	70	20,564	82,311
22514	475/.5 *	95	27,222	1,08,930
22515	608/.5 *	120	34,950	1,39,766
22516	750/.5 *	150	43,297	1,73,142
22517	925/.5 *	185	53,457	2,13,827
22518	1221/.5 *	240	70,261	2,81,076

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	730	2,920

105 DEGREE CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	161	635
2302	24/.21	0.75	240	951
2303	32/.21	1.00	317	1,259
2304	30/.26	1.50	463	1,843
2305	50/.26	2.50	763	3,042
2306	56/.31	4.00	1,266	5,040
2307	84/.31	6.00	1,870	7,473

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



List Price wef. 22nd Jan 2021

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq mm)	List Price per 100 Mtr Rs.	Packing
16906011	4	6,572	STANDARD LENGTH OF 500 MTR
16907011	6	9,094	STANDARD LENGTH OF 300 MTR

Notes	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 = Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 = Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01=Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

[f /Finolexcables](#) | [t /Finolexcables](#) | [i /Finolex.cables](#)



AN IS/ISO 9001 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India
Tel: 020-27506200 | Fax: 020-27472239
Visit us at: www.finolex.com | Email: sales@finolex.com
CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: Tel: 079-26584637, 26575639 | **Bangalore:** Tel: 080 25320176 |
Bhubaneswar: Tel: 0674-2530053 | **Chennai:** Tel: 044-28231514, 28284142 |
Chandigarh: Tel: 0172-5076631, 2637334 | **Cochin:** Tel: 0484-2408930, 2408492 |
Coimbatore: Tel: 0422-2333939/40 | **Dharwad:** Tel: 0836-2746440 | **Goa:** Tel: 0832-2782003, 2782065 | **Gurgaon:** Tel: 0124-4382304 | **Guwahati:** Tel: 0361-2490067 |
Indore: Tel: 0731-2802646 | **Jaipur:** Tel : 0141-2332526/29 | **Kolkata:** Tel: 033-24192494, 24192495 | **Lucknow:** Tel: 0522-2439815, 4035031 | **Ludhiana:** Tel: 0161-2804005 | **Mumbai:** Tel: 022-22873252, 22820062 | **New Delhi:** Tel: 011-23324748, 23353160 | **Patna:** Tel: 0612-2589835 | **Pune:** Tel: 020-27475963, 27506200 | **Raipur:** Tel: 0771-2885595 | **Ranchi:** Tel: 0651-2284758 | **Roorkee:** Tel: 01332-224068 |
Secunderabad: Tel: 040-27721224, 27811161 | **Vadodara:** Tel: 9099775559 |
Vijayawada: Tel: 9397889670 | **Pondicherry:**

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any of the above specifications without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.