


PRICE LIST : 20th JANUARY 2021
LP NO. KEI/W&F/LP/20-21/10 DT.20.01.2021
INDUSTRIAL MULTI STRAND CABLES
HSN CODE : 85.44.60.20
KEI HOMECAB - FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES - FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.50	16/0.20	4	790	28	1580	12	8.78
0.75	24/0.20	7	1060	28	2120	12	11.78
1.00	32/0.20	11	1365	24	2730	12	15.17
1.50	30/0.25	14	2040	16	4080	8	22.67
2.50	50/0.25	19	3265	12	6530	6	36.28
4.00	56/0.30	26	4820	8	9640	4	53.56
6.00	84/0.30	31	7310	6	14620	3	81.22
10.00	80/0.40	42	13050	1			145.00
16.00	126/0.40	57	20340	1			226.00

KEI CONFLAME - FRLSH PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FLAME RETARDANT LOW SMOKE (FRLSH) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.50	16/0.20	4	860	28	1720	12	9.56
0.75	24/0.20	7	1090	28	2180	12	12.11
1.00	32/0.20	11	1425	24	2850	12	15.83
1.50	30/0.25	14	2130	16	4260	8	23.67
2.50	50/0.25	19	3425	12	6850	6	38.06
4.00	56/0.30	26	5050	8	10100	4	56.11
6.00	84/0.30	31	7605	6	15210	3	84.50
10.00	80/0.40	42	13730	1			152.56
16.00	126/0.40	57	21430	1			238.11

KEI BANFIRE - SINGLE CORE, UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - ZERO HALOGEN FLAME RETARDANT (ZHFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.75	24/0.20	7	1155	28	2310	12	12.83
1.00	32/0.20	11	1530	24	3060	12	17.00
1.50	30/0.25	14	2240	16	4480	8	24.89
2.50	50/0.25	19	3530	12	7060	6	39.22
4.00	56/0.30	26	5130	8	10260	4	57.00
6.00	84/0.30	31	7765	6	15530	3	86.28
10.00	80/0.40	42	14050	1			156.11
16.00	126/0.40	57	21820	1			242.44

Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.
- Standard colours in Building wires are RED / BLACK / BLUE / YELLOW / GREEN.
- FR / FRLSH & ZHFR wires are supplied in standard lengths of 90M Coils & 180M Coils packed in Master Cartons.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.

PRICE LIST : 20th JANUARY 2021

LP NO. KEI/W&F/LP/20-21/10 DT.20.01.2021

PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE & MULTI CORE CABLES

HSN CODE : 85.44.60.20

KEI FLEXIBLE FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	STD. PACK OF 100 MTR COIL	SINGLE CORE FR	SINGLE CORE HRFR 105 Deg	SINGLE CORE FRLSH	SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	SINGLE CORE FR	SINGLE CORE HRFR 105 Deg	SINGLE CORE FRLSH
0.5	16/0.20	4	24	875	925	950	35	276/0.4	110	50160	51830	52590
0.75	24/0.20	7	24	1180	1205	1210	50	396/0.4	145	72290	74420	75770
1.0	32/0.20	12	20	1515	1580	1585	70	354/0.5	200	101300	104260	106060
1.5	30/0.25	16	16	2265	2350	2365	95	484/0.5	235	133430	138110	140490
2.5	50/0.25	22	12	3630	3795	3805	120	608/0.5	270	170640	176180	180200
4.0	56/0.30	29	8	5355	5565	5610	150	750/0.5	310	213820	220830	224630
6	84/0.30	37	4	8120	8470	8450	185	925/0.5	360	259160	268110	272970
10	80/0.40	51	1	14500	15110	15260	240	1210/0.5	425	342100	353600	360530
16	126/0.40	68	1	22600	23800	23810	300	1527/0.5	490	426370	440380	449350
25	196/0.40	86	1	35910	37130	37670	400	2036/0.5	590	564440	574390	585200

KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	16/0.20	2670	3520	4370	5930	6870	7510	11640	13460	15350	17520	20230	25870
0.75	24/0.20	3610	4610	5930	8200	9350	10320	15700	18230	21050	23990	27850	35580
1.0	32/0.20	3980	5460	7150	9550	11330	12720	19270	22290	25750	29380	34050	43410
1.5	30/0.25	5460	7610	9820	13320	15610	17490	26020	30600	35460	40490	47040	60200
2.5	50/0.25	8840	12230	16020	21130	24990	27890	41200	48780	57030	64780	75840	96830
4.0	56/0.3	13760	19890	25490	34520	39530	45810	67400	79910	92680	105460	123850	159170
6	84/0.3	20180	28680	38240	49690								
10	80/0.4	33740	48430	63900	84150								
16	126/0.4	51950	74420	98250									
25	196/0.4		120940	158740									
35	276/0.4		168170	219290									
50	396/0.4		240830	314810									
70	354/0.5		332300	437260									
95	484/0.5		0	578540									
120	608/0.5												

Note :

- 1) FRLS Loading - 3% Extra for Multi Core Flexible Cables.**
- 2) KEI 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC insulated cables.**
- 3) Packing for 3 Core Flat Submersible Cables :**
 - Cables upto 4sqmm are supplied in 500Mtr/1000Mtr drums.
 - Cables from 6sqmm to 25sqmm are supplied in 500Mtr drums.
 - Cables of 1.5sqmm, 2.5sqmm & 4sqmm are also supplied in 300Mtr coil.
- 4) Packing for Single & Multi Core Round Wire Flexible cables :**
 - Single Core Flexible cables upto 6sqmm are supplied in Master Carton as shown above.
 - Single Core 10sqmm and above will be supplied in single coil packing.
 - Single Core 120sqmm and above & Multicore 6sqmm & above available in coil packing.

KEI 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

(Rate in Rs. Per 100 Mtrs)

SQ. MM	COND. CONST. (NO./DIA.MM)	RATE
1.5	30/0.25	8080
2.5	50/0.25	12510
4	56/0.3	18850
6	84/0.3	28210
10	80/0.4	46380
16	126/0.4	73280
25	196/0.4	110680

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.



HSN CODE : 8544

PRICE LIST DECEMBER 2020 (Rev.)

ALUMINUM UN ARMoured / ARMoured

W.E.F : 18.12.2020

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XW _a Y A2XF _a Y	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		65.00	83.00		98.00		106.00	123.00		141.00
10		92.00	113.00		125.00		129.00	155.00		166.00
16		93.00	125.00		157.00		146.00	158.00		197.00
25	74.00	135.00	185.00	224.00	238.00	113.00	171.00	213.00	239.00	258.00
35	90.00	186.00	252.00	271.00	302.00	134.00	211.00	278.00	298.00	337.00
50	118.00	227.00	317.00	355.00	391.00	164.00	262.00	364.00	388.00	435.00
70	156.00	311.00	428.00	488.00	540.00	210.00	349.00	462.00	520.00	571.00
95	195.00	386.00	540.00	612.00	659.00	221.00	447.00	586.00	652.00	714.00
120	240.00	469.00	660.00	784.00	779.00	275.00	533.00	697.00	810.00	878.00
150	288.00	563.00	816.00	925.00	987.00	323.00	645.00	868.00	946.00	1054.00
185	354.00	679.00	997.00	1162.00	1228.00	395.00	777.00	1059.00	1192.00	1340.00
240	406.00	902.00	1272.00	1412.00	1600.00	488.00	1010.00	1334.00	1526.00	1681.00
300	506.00	1102.00	1531.00	1786.00	1909.00	600.00	1231.00	1621.00	1836.00	2077.00
400	633.00	1372.00	1956.00	2273.00	2584.00	755.00	1510.00	2140.00	2344.00	2694.00
500	876.00					975.00				
630	1043.00					1139.00				
800	1401.00					1500.00				
1000	1806.00					1900.00				

EXTRAS FOR SPECIAL CONSTRUCTION:

	Cable Size (Sq.mm)	FRLS Loading Factor			LSZH	
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
a) Round Wire Armouring			Armd.	Unarmd.		
- 2 x 16 & above	25.00%					
- 3 x 16 & 3.5CX25 & above	25.00%					
- 4 x 10 & above	25.00%					
- For Single core 95 & above	25.00%					
b) Stranding 10 sq.mm and below	10.00%					
c) Extruded PVC Innersheath Up 50	5.00%					
Extruded PVC Innersheath 70 & Above	2.50%					
d) HR PVC Insulation	10.00%					
e) HR PVC Inner Sheath	5.00%					
f) HR PVC Outer Sheath	5.00%					
g) Oxygen Index (FR)	2.50%					
h) PVC Cables	8.00%					

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)



PRICE LIST DECEMBER 2020 (Rev.)

CU UNARMoured / ARMoured

W.E.F : 18.12.2020

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Glavanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		159.00	223.00		283.00		187.00	247.00		309.00
6		228.00	319.00		410.00		258.00	345.00		447.00
10		362.00	513.00		638.00		375.00	530.00		671.00
16	300.00	510.00	720.00		972.00	358.00	536.00	752.00		992.00
25	460.00	742.00	1108.00	1286.00	1409.00	528.00	797.00	1173.00	1395.00	1528.00
35	624.00	1189.00	1618.00	1857.00	2159.00	710.00	1251.00	1730.00	1969.00	2276.00
50	873.00	1625.00	2220.00	2637.00	2923.00	975.00	1689.00	2360.00	2754.00	3126.00
70	1222.00	2178.00	3233.00	3822.00	4413.00	1356.00	2356.00	3407.00	3973.00	4612.00
95	1670.00	2968.00	4419.00	5178.00	5843.00	1749.00	3145.00	4513.00	5204.00	6048.00
120	2109.00	3740.00	5260.00	6630.00	7201.00	2191.00	3863.00	5626.00	6738.00	7532.00
150	2644.00	4675.00	6728.00	8262.00	9063.00	2735.00	4832.00	7029.00	8564.00	9254.00
185	3248.00	5720.00	8408.00	9831.00	11708.00	3318.00	5932.00	8925.00	10402.00	11770.00
240	4231.00	7406.00	11044.00	12822.00	14844.00	4278.00	7728.00	11484.00	13268.00	14990.00
300	5330.00	9242.00	13881.00	15738.00	18352.00	5412.00	9803.00	14669.00	16563.00	19283.00
400	6979.00	12286.00	17718.00	20458.00	23683.00	7231.00	13282.00	19294.00	22255.00	25286.00
500	8819.00					8878.00				
630	11102.00					11161.00				
800	14063.00					14127.00				
1000	17580.00					17758.00				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	76.00	107.00	104.00	138.00	12	317.00	528.00	371.00	554.00
3	101.00	151.00	132.00	181.00	14	354.00	607.00	429.00	639.00
4	128.00	198.00	160.00	226.00	16	412.00	718.00	443.00	748.00
5	159.00	243.00	194.00	271.00	19	489.00	822.00	520.00	852.00
6	179.00	276.00	217.00	322.00	24	616.00	1041.00	648.00	1071.00
7	205.00	330.00	241.00	364.00	27	670.00	1130.00	709.00	1173.00
8	245.00	380.00	279.00	417.00	30	777.00	1255.00	812.00	1353.00
10	290.00	427.00	320.00	471.00	37	939.00	1547.00	990.00	1653.00

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

- A) Tinning 3.00%
- B) Stranding (Upto 6 SQ.MM) 4.00%
- C) Extruded Innersheath 2.50%
- D) Round Wire Armouring
 - 1C x 95 sq. mm & above 7.50%
 - 1.5 sq.mm - 16 core & above 15.00%
 - 2.5 sq.mm - 10 core & above 15.00%
 - 16 sq.mm - 4 core & above 15.00%
 - 25 sq.mm - 2 core & above 15.00%
 - 16 sq.mm - 3 core & above 15.00%

- E) HR PVC INSULATION 7.00%
- F) OXYGEN INDEX (FR) 2.50%
- G) HR PVC INSU/I.SH/O/SH. 5.00% (Each)
- H) FRLS Loading-**Power Cable** upto 6sq mm - 7.50%
- FRLS Loading-**Power Cable** 10 sq mm and above - 4.00%
- I) PVC Cables 5%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	6.0%	7.5%	15.0%	15.0%
5 - 10	5.0%	4.0%	7.5%	15.0%	15.0%
12 & Above	5.0%	4.0%	7.5%	12.5%	12.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST DECEMBER 2020 (Rev.)

W.E.F : 18.12.2020

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3KA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED , AL FLAT STRIP ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		662.00	727.00	845.00	867.00	1012.00
300		770.00	847.00	953.00	973.00	1187.00
400		935.00	1014.00	1128.00	1154.00	1357.00
500		1187.00	1230.00	1410.00	1410.00	1665.00
630		1427.00	1465.00	1674.00	1674.00	1952.00
800		1756.00	1780.00	1953.00	1953.00	2235.00
1000		2106.00	2313.00	2543.00	2543.00	2726.00

EXTRAS FOR SPECIAL CONSTRUCTION:

- | | |
|--------------------------|------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST DECEMBER 2020 (Rev.)

W.E.F :18.12.2020

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , EXTRUDED PVC INNER SHEATHED, AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWαY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		694.00	763.00	889.00	911.00	1066.00
300		812.00	894.00	1002.00	1026.00	1250.00
400		985.00	1067.00	1187.00	1213.00	1427.00
500		1250.00	1293.00	1482.00	1482.00	1754.00
630		1503.00	1542.00	1759.00	1759.00	2054.00
800		1846.00	1872.00	2056.00	2056.00	2353.00
1000		2217.00	2437.00	2674.00	2674.00	2860.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST DECEMBER 2020 (Rev.)

W.E.F : 18.12.2020

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			671.00			
50			768.00			
70		878.00	901.00			
95		1003.00	1066.00	1379.00	1434.00	1912.00
120		1203.00	1234.00	1601.00	1637.00	2182.00
150		1338.00	1372.00	1770.00	1805.00	2310.00
185		1558.00	1598.00	1979.00	2023.00	2550.00
240		1870.00	1918.00	2328.00	2371.00	2918.00
300		2224.00	2281.00	2676.00	2720.00	3277.00
400		2751.00	2802.00	3228.00	3311.00	3794.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.